PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

BES

Applicant's or agent's file reference P200300895WO International application No. PCT/DK2004/000510		FOR FURTHER ACTION See Form PCT/IPEA/416					
		International filing date 22.07.2004	(day/month/year)	Priority date (day/month/year) 23.07.2003	AILA		
A63	mational Patent Class 3H33/08 licant GO A/S et al.		ational classification and	IPC		AVAILABLE COPY	
1.	This report is the	international pre	liminary examination re	eport, established by	this International Preliminary Exa		
2.	•		of 4 sheets, including t		3 30.		
3.			y ANNEXES, comprisi				
3.	•				ets, as follows:		
	 a. Sent to the applicant and to the International Bureau) a total of 2 sheets, as follows: Sheets of the description, claims and/or drawings which have been amended and are the basis of this repand/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions). 						
	beyo	ts which superse nd the disclosure lemental Box.	de earlier sheets, but w in the international ap	which this Authority co plication as filed, as i	onsiders contain an amendment th ndicated in item 4 of Box No. I and	at goes I the	
	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplement Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).						
4.	This report conta	ins indications re	elating to the following i	tems:			
}	Box No. I	Basis of the opi	nion				
	☐ Box No. II	Priority					
	☐ Box No. III	Non-establishm	ent of opinion with reg	ard to novelty, invent	ive step and industrial applicability	,	
	☐ Box No. IV	Lack of unity of					
	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
	☐ Box No. VI	Certain docume	ents cited		•		
	☐ Box No. VII		in the international app				
	☐ Box No. VIII	Certain observa	ations on the internation	nal application			
Date	e of submission of the	demand		Date of completion of	of this report		
20.0	20.05.2005			31.10.2005			
Name and mailing address of the international preliminary examining authority:			nal	Authorized Officer	.g\v	ches Patenteny	
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465		556 epmu d	Shmonin, V	89 2399-2043			

LU1565130

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/DK2004/000510

IAP20	Rec'el	37773	18	JAN.	2006
			JL W	UNIX	LUUU

_	Box No. I	Basis of the report				
 With regard to the language, this report is based on the international application in the language in wheter filed, unless otherwise indicated under this item. 						
 □ This report is based on translations from the original language into the following language, which is the language of a translation furnished for the purposes of: □ international search (under Rules 12.3 and 23.1(b)) □ publication of the international application (under Rule 12.4) □ international preliminary examination (under Rules 55.2 and/or 55.3) 						
2. With regard to the elements* of the international application, this report is based on (replacement shave been furnished to the receiving Office in response to an invitation under Article 14 are referred report as "originally filed" and are not annexed to this report):						
			℧			
	Description 1-12	as originally filed	Ŭ.			
Claims, Numbers		received on 24.05.2005 with letter of 20.05.2005	AVAILABLE COT			
Drawings, Sheets 1/3-3/3		eets				
		as originally filed				
	□ a sequ	nce listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing	Ç			
3.	 ☐ The amendments have resulted in the cancellation of: ☐ the description, pages ☐ the claims, Nos. 1-6 ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify): 					
1.	had not bee Supplemen the the the	ort has been established as if (some of) the amendments annexed to this report and listed below made, since they have been considered to go beyond the disclosure as filed, as indicated in the all Box (Rule 70.2(c)). escription, pages laims, Nos. rawings, sheets/figs equence listing (specify): able(s) related to sequence listing (specify):	;			
	* If it	m 4 applies, some or all of these sheets may be marked "superseded."				

BEST AVAILABLE COPY

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1-6

1. Statement

Novelty (N) Yes: Claims

No: Claims

Inventive step (IS) Yes: Claims 1-6

No: Claims

Industrial applicability (IA) Yes: Claims 1-6

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet



INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

PCT/DK2004/000510

Reference is made to the following document:

D5: WO 01/17634

The document D5 is regarded as being the closest prior art to the subject-matter of the independent claim 1 and shows an egg-shaped container composed of two elements: a top element provided with upwardly protruding coupling suds and a bottom element provided with coupling skirts.

The subject-matter of claim 1 differs from this known D5 in that the top and a bottom elements can be interconnected exclusively by rotation and that the toy building set further comprises at least one intermediate element between the top and bottom elements.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as how to provide a toy building element with variable height and which at the same time would reliably keep its integrity during play.

The solution to this problem proposed in claim 1 of the present invention is considered as involving an inventive step (Article 33(3) PCT) for the following reasons: none of the prior art documents discloses a toy building element with coupling studs and/or skirts having an intermediate element which can be interconnected with top and bottom elements exclusively by rotation.

Claims 2-6 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Claims 2-6 also meet the criteria of industrial applicability.

Claims (amended)

Printed: 06/06/2005

5

10

15

- 1. A toy building element with coupling studs (6; 23; 33; 43; 45; 63) and/or coupling skirts (7; 27; 37; 57) that are complementary therewith for interconnection with other toy building elements provided with corresponding coupling studs and/or coupling skirts, the interconnection taking place in the axial direction of the coupling studs and/or-coupling skirts, said toy building element comprising a top element (1; 21; 31; 41; 51) and a bottom element (2; 22; 32; 42; 52) that can be interconnected by means of integral coupling means that are releasable exclusively by rotation about an axis (A) in parallel with the axial direction of the coupling studs (6; 23; 33; 43; 45; 53) and/or the coupling skirts (7; 27; 37; 57), characterised in that the toy building element further comprises at least one intermediate element (8; 38; 48; 58), said top element (1; 21; 31; 41; 51) being interconnectable with an upper end of the intermediate element (8; 38; 48; 58), while the bottom element (2; 22; 32; 42; 52) can be interconnected with a lower end of the intermediate element (8; 38; 48; 58).
- 2. A toy building element according to claim 1, characterised in that the coupling means are a bayonet coupling (10, 12, 15, 16). 20
 - 3. A toy building means according to claim 1, characterised in that the coupling means are a threaded coupling (25, 29).
- 4. A toy building element according to any one of claims 1-3, characterised 25 in that the top element is provided with upwardly projecting coupling studs (6; 23; 33; 43; 53), while the bottom element is provided with coupling skirts (7; 27; 37; 57).





24/05/2005